

**SUMMARY OF RISK MANAGEMENT MEASURES FOR THE USE OF
DICHLORO(3-CHLOROPROPYL)METHYLSILANE (CAS 7787-93-1)**

Safe use has been demonstrated by calculation of risk characterisation ratios. These are based on the following risk management measures:

| Exposure scenario | Description | General measures | Specific Human Health risk management measures | Specific Environment risk management measures |
|--------------------------|--------------------------------|---|--|--|
| ES1 | Production and on site use | (i) Procedural and technological control using Best Available Technique (BAT) | (i) Local Exhaust Ventilation (LEV) (ii) Personal Protective Equipment (PPE): Fluorinated or nitrile rubber type gloves, goggles and chemically resistant protective clothing. (iii) Specific workers' training | (i) Use of air emission abatement equipment such as incinerators and scrubbers (ii) Treatment of effluent in waste water treatment plant (iii) Incineration of waste |
| ES2 | Use as a chemical intermediate | (i) Procedural and technological control using Best Available Technique (BAT) | i) Personal Protective Equipment (PPE): Fluorinated or nitrile rubber type gloves, goggles and chemically resistant protective clothing. Full face respirator with ABEK-type filter (ii) Specific workers' training | (i) Use of air emission abatement equipment such as incinerators and scrubbers (ii) Treatment of effluent in waste water treatment plant (iii) Incineration of waste |
| ES3 | Laboratory reagent | N/A | (i) Local Exhaust ventilation (Fume cupboard) (ii) Personal Protective Equipment (PPE): Gloves, goggles and chemically resistant protective clothing (iii) Workers' training | N/A |